



ZIPBOLT WORKTOP CONNECTORS



The best just got better... TWICE THE POWER

NEW

► Zipbolt UT QT10.700


164mm

The Zipbolt UT 164mm is the standard connector for mitre applications allowing you to tension by cordless drill or ratchet driver using a 5mm hex bit. This connector balances on the hex bit allowing convenient one handed operation and avoids unnecessary discomfort associated from using conventional worktop connectors.

TENSIONS IN SECONDS WHEN USING CORDLESS DRILL

- 164mm
- Suits standard jigs
- 5mm hex bit for tensioning
- Balances on driver bit
- Strong & powerful, making your life easier
- Zinc - for corrosion resistance


[NOW IMPACT DRIVER COMPATIBLE]



► Zipbolt UT QT10.500

85mm

The Zipbolt UT 85mm is another size we have added to the growing Zipbolt family of connectors and can be handy where a cabinet rail crosses the worktop join, or where worktop cut outs are unavoidable an example being sinks or cook tops. It is the fastest and easiest way of joining worktops /countertops in a matter of seconds!



FOR THIN WORKTOPS

► Zipbolt UT QT10.800

100mm

TENSION IN SECONDS WHEN USING CORDLESS DRILL

- Suits standard jigs (Using a 30mm template guide & an 8mm Router cutter)
- The low profile 12.5mm thick gear housing allows this connector to operate in 16mm+ materials
- Balances on driver
- Strong, powerful, making your life easier
- 4mm hex driver for tensioning
- Zinc



The ZIPBOLT connector is a new practical and innovative solution that saves time and money in assembling worktops and panels.

The QT10.800 is designed to work in the same way as the standard Zipbolt worktop connectors. The unique feature of this connector is its low 12.5mm profile enabling you to join boards of 16-25mm.

► Zipbolt UT QT10.820

90mm

TENSION IN SECONDS WHEN USING CORDLESS DRILL

- Suits standard jigs (Using a 30mm template guide & an 8mm Router cutter)
- The low profile 12.5mm thick gear housing allows this connector to operate in 16mm+ materials
- Balances on driver
- Strong, powerful, making your life easier
- 4mm hex driver for tensioning
- Zinc



The ZIPBOLT connector is a new practical and innovative solution that saves time and money in assembling worktops and panels.

This model allows the user to install the connector by passing the shaft through the bored edges and assembling the panels thereby only revealing the housing holes (25mm), this is in contrast to full surface machining.



► Zipbolt UT QT10.858

158mm

The Zipbolt QT10.858 enables you to join thin counter tops from 16mm - 25mm with having the luxury of the length of 158mm. Suits standard jigs (Using a 30mm template guide & an 8mm Router cutter)



- The low profile 12.5mm thick gear housing allows this connector to operate in 16mm+ materials
- Balances on driver
- Strong, powerful, making your life easier
- 4mm hex driver for tensioning
- Zinc



- › Simple
- › Quick
- › One handed
- › Perfect join every time
- › Can be used with a cordless drill/ impact driver
- › Compatible with standard worktop Jigs



PO Box 12207
Alresford
COLCHESTER
CO7 8WG



T. 0800 055 6001
F. 0800 055 6002
info@quaytechuk.com
www.quaytechuk.com